
COLOR COATED GALVALUME COIL

Color. Protection. Possibility.



COLOR-COATING PRODUCTION



PREPAINTED AL-ZN STEEL / PPGL

A ready-finished steel solution for roofing, cladding and formed building components. Combine an aluminum-zinc coated substrate with the paint system, colour and finish your project needs.

PROTECT

Al-Zn substrate plus an organic coating system.

CUSTOMIZE

RAL colour matching and a choice of surface finishes.

FORM

Coil supply for downstream roll-forming and fabrication.

Explore specifications. Request a tailored quotation.

01 / SPECIFICATIONS

Specify your PPGL coil

A practical starting point for procurement and product selection.

Product	**Color Coated Galvalume Coil (PPGL)**
Base material	**Steel with 55% aluminum-zinc alloy coating**
Thickness range	**0.12-1.20 mm**
Width range	**600-1250 mm**
Al-Zn coating options	**AZ50-AZ150**
Paint systems	**PE / SMP / HDP / PVDF**
Surface finishes	**Glossy / matte / textured**
Colour matching	**RAL chart or customer sample**

Specify whether thickness is base-metal thickness (BMT) or total coated thickness (TCT). Confirm tolerances, paint film thickness, substrate grade, coil weight and coil ID with your quotation.

CHOOSE YOUR FINISH

PE
Polyester

SMP
Silicone-modified polyester

HDP
High-durability polyester

PVDF
Polyvinylidene fluoride

Select the coating system to suit exposure, forming requirements and the desired appearance. Request a physical colour sample before final approval.

02 / FROM COIL TO PROJECT

Build with BOMIS STEEL

Product selection, processing support and direct factory communication.





PROCESSING SUPPORT

Discuss slitting, cut-to-length and roofing profile requirements with our team. Share drawings or samples for custom processing enquiries.

QUALITY & DELIVERY

Mill Test Certificates and seaworthy export packing are available. Inspection requirements and test criteria should be agreed before production.

SEND YOUR REQUIREMENTS

Thickness and width / AZ coating class / paint system and film thickness / RAL colour and finish / steel grade / coil weight and ID / quantity / destination port.

Email Support

project@bomisgroup.com

Let's Talk

WhatsApp: +86 18300282573

bomissteel.com

Factory: Xingfu Industrial Park, Boxing County, Shandong, China